
SHERD DENSITIES FROM CONTROL UNITS, SAN PEDRO PRESERVATION PROJECT

Patrick D. Lyons
Arizona State Museum and Archaeology Southwest

Cite as:

Lyons, Patrick D.

2012 Sherd Densities from Control Units, San Pedro Preservation Project. <<http://www.archaeologysouthwest.org/ap45>>.

Table 1. Sherd densities, larger than 1 cm², by site, control unit, and level, San Pedro Preservation Project.

AZ (ASM)												
Site	Control					Number	Thickness	Area	Volume	Sherds/		
Number	Feature	Unit	Context ^a	Stratum	Level	of Sherds ^b	(m)	(m ²)	(m ³)	m ³	Density	
BB:1:6	1	1	50	0	1	23	0.10	2.0	0.20	115	Low	
	1	1	50	0	2	27	0.21	2.0	0.42	64	Low	
	1	1	50	0	3	40	0.15	2.0	0.30	133	Low	
	1	1	50	0	4	24	0.20	2.0	0.40	60	Low	
			Total 1				114	0.66		1.32	86	Low
	2	2	60	0	1	31	0.17	4.0	0.68	46	Very low	
		Total 2				31	0.17		0.68	46	Very low	
BB:1:22	0	1	4	0	1	46	0.13	2.0	0.26	177	Low	
	0	1	4	0	2	82	0.14	2.0	0.28	293	Moderate	
			Total 1				128	0.27		0.54	237	Moderate
	0	2	4	0	1	13	0.11	2.0	0.22	59	Low	
	0	2	4	0	2	36	0.23	2.0	0.46	78	Low	
	0	2	4	0	3	219	0.21	2.0	0.42	521	High	
	0	2	4	0	4	92	0.19	2.0	0.38	242	Moderate	
	0	2	4	0	5	29	0.14	2.0	0.28	104	Low	
			Total 2				389	0.88		1.76	221	Moderate
	1	3	10	0	1	5	0.11	2.0	0.22	23	Very low	
	1	3	10	1	1	22	0.11	2.0	0.22	100	Low	
	1	3	10	2	1	11	0.22	2.0	0.44	25	Very low	
	1	3	10	2	2	30	0.17	2.0	0.34	88	Low	
			Total 3				68	0.61		1.22	56	Low
2	4	50	0	1	229	0.20	4.0	0.80	286	Moderate		
2	4	50	0	2	132	0.09	4.0	0.36	367	Moderate		
		Total 4				361	0.29		1.16	311	Moderate	
BB:1:32	0	1	4	0	1	4	0.06	2.0	0.12	33	Very low	
	0	1	4	0	2	23	0.12	2.0	0.24	96	Low	
	1	1	11	0	1	20	0.19	0.8	0.15	132	Low	
	1	1	41	0	1	1	0.13	0.8	0.10	10	Very low	
	2	1	11	0	1	12	0.22	0.8	0.18	68	Low	
	2	1	11	0	2	33	0.19	0.8	0.15	217	Moderate	
			Total 1				93	0.91		0.94	99	Low
	0	2	4	0	1	19	0.17	2.0	0.34	56	Low	
	0	2	4	0	2	5	0.14	2.0	0.28	18	Very low	
	3	2	11	0	1	25	0.17	2.0	0.34	74	Low	
	3	2	12	0	1	27	0.16	2.0	0.32	84	Low	
	3	2	12	0	2	11	0.07	2.0	0.14	79	Low	
	3	2	41	0	1	8	0.17	2.0	0.34	24	Very low	
	3	2	42	0	1	3	0.04	1.0	0.04	75	Low	
		Total 2				98	0.92		1.80	54	Low	
BB:1:33	0	1	4	0	1	31	0.18	2.0	0.36	86	Low	
	0	1	4	0	2	23	0.19	2.0	0.38	61	Low	
	0	1	4	0	3	31	0.14	2.0	0.28	111	Low	
			Total 1				85	0.51		1.02	83	Low

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	Density
BB:1:33 (cont'd.)											
	0	2	4	0	1	46	0.14	2.0	0.28	164	Low
	0	2	4	0	2	42	0.15	2.0	0.30	140	Low
		Total 2				88	0.29		0.58	152	Low
BB:1:34	1	1	50	0	1	112	0.21	2.0	0.42	267	Moderate
		Total 1				112	0.21		0.42	267	Moderate
	2	2	50	0	1	24	0.16	2.0	0.32	75	Low
	2	2	50	0	2	183	0.17	2.0	0.34	538	High
	2	2	50	0	3	26	0.12	2.0	0.24	108	Low
		Total 2				233	0.45		0.90	259	Moderate
BB:1:55	1	1	50	0	1	17	0.10	2.0	0.20	85	Low
	1	1	50	0	2	125	0.21	2.0	0.42	298	Moderate
	1	1	50	0	3	102	0.17	2.0	0.34	300	Moderate
	1	1	50	0	4	110	0.24	2.0	0.48	229	Moderate
	1	1	50	0	5	6	0.20	1.0	0.20	30	Very low
		Total 1				360	0.92		1.64	220	Moderate
	2	2	50	0	1	53	0.18	2.0	0.36	147	Low
	2	2	50	0	2	4	0.19	2.0	0.38	11	Very low
	2	2	50	0	3	3	0.05	2.0	0.10	30	Very low
		Total 2				60	0.42		0.84	71	Low
BB:1:63	0	1	1	0	1	15	0.19	2.0	0.38	39	Very low
	0	1	4	0	1	26	0.17	2.0	0.34	76	Low
	0	1	4	0	2	25	0.14	2.0	0.28	89	Low
		Total 1				66	0.50		1.00	66	Low
	0	2	1	0	1	4	0.17	2.0	0.34	12	Very low
	0	2	4	0	1	10	0.20	2.0	0.40	25	Very low
		Total 2				14	0.37		0.74	19	Very low
BB:2:3	1	1	50	0	1	175	0.09	2.0	0.18	972	High
	1	1	50	0	2	348	0.19	2.0	0.38	916	High
	1	1	50	0	3	1,069	0.23	2.0	0.46	2,324	Very high
	1	1	50	0	4	64	0.07	2.0	0.14	457	Moderate
		Total 1				1,656	0.58		1.16	1,428	Very high
	1	2	50	0	1	200	0.09	2.0	0.18	1,111	Very high
	1	2	50	0	2	651	0.20	2.0	0.40	1,628	Very high
	1	2	50	0	3	680	0.22	2.0	0.44	1,545	Very high
	1	2	50	0	4	293	0.14	2.0	0.28	1,046	Very high
		Total 2				1,824	0.65		1.30	1,403	Very high
	2	3	50	0	1	507	0.21	2.0	0.42	1,207	Very high
	2	3	50	0	2	401	0.20	2.0	0.40	1,003	Very high
	2	3	50	0	3	63	0.22	2.0	0.44	143	Low
		Total 3				971	0.63		1.26	771	High

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	Density
BB:2:3 (cont'd.)											
	0	4	4	0	1	74	0.20	2.0	0.40	185	Low
	0	4	4	0	2	110	0.10	2.0	0.20	550	High
		Total 4				184	0.30		0.60	307	Moderate
BB:2:7	1	1	50	0	1	305	0.20	2.0	0.40	763	High
	1	1	50	0	2	371	0.20	2.0	0.40	928	High
	1	1	50	0	3	182	0.14	2.0	0.28	650	High
		Total 1				858	0.54		1.08	794	High
	2	2	50	0	1	0	0.18	2.0	0.36	0	-
	2	2	50	0	2	200	0.20	2.0	0.40	500	Moderate
		Total 2				200	0.38		0.76	263	Moderate
	3	3	4	0	1	39	0.15	2.0	0.30	130	Low
	3	3	4	0	2	116	0.19	2.0	0.38	305	Moderate
	3	3	4	0	3	206	0.19	2.0	0.38	542	High
	3	3	10	0	1	158	0.13	2.0	0.26	608	High
		Total 3				519	0.66		1.32	393	Moderate
	0	6	4	0	1	183	0.20	2.0	0.40	458	Moderate
	0	6	4	0	2	214	0.20	2.0	0.40	535	High
		Total 6				397	0.40		0.80	496	Moderate
BB:2:10	0	1	4	0	1	192	0.17	2.0	0.34	565	High
	0	1	4	1	1	113	0.21	2.0	0.42	269	Moderate
	0	1	61	0	1	72	0.08	2.0	0.16	450	Moderate
		Total 1				377	0.46		0.92	410	Moderate
	0	2	4	0	1	239	0.20	2.0	0.40	598	High
	0	2	4	0	2	229	0.19	2.0	0.38	603	High
		Total 2				468	0.39		0.78	600	High
BB:2:12	0	1	4	0	1	4	0.10	2.0	0.20	20	Very low
		Total 1				4	0.10		0.20	20	Very low
	0	2	4	0	1	17	0.14	2.0	0.28	61	Low
	0	2	4	0	2	10	0.25	2.0	0.50	20	Very low
		Total 2				27	0.39		0.78	35	Very low
	0	3	4	0	1	17	0.18	2.0	0.36	47	Very low
	0	3	4	0	2	7	0.18	2.0	0.36	19	Very low
		Total 3				24	0.36		0.72	33	Very low
	0	4	4	0	1	15	0.17	2.0	0.34	44	Very low
		Total 4				15	0.17		0.34	44	Very low
BB:2:18	1	1	50	0	1	62	0.07	4.0	0.28	221	Moderate
	1	1	50	0	2	404	0.19	4.0	0.76	532	High
	1	1	50	0	3	447	0.23	4.0	0.92	486	Moderate
	1	1	50	0	4	174	0.15	4.0	0.60	290	Moderate
		Total 1				1,087	0.64		2.56	425	Moderate
	0	2	4	0	1	8	0.14	2.0	0.28	29	Very low
	0	2	4	0	2	18	0.16	2.0	0.32	56	Low

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	Density
BB:2:18 (cont'd.)											
	0	2	4	1	1	63	0.23	1.7	0.39	161	Low
	0	2	4	1	2	32	0.21	1.7	0.36	90	Low
	Total 2					121	0.74		1.35	90	Low
	2	3	10	0	1	27	0.20	2.0	0.40	68	Low
	2	3	10	0	2	21	0.15	2.0	0.30	70	Low
	2	3	10	0	3	56	0.24	2.0	0.48	117	Low
	2	3	10	0	4	78	0.16	2.0	0.32	244	Moderate
	Total 3					182	0.75		1.50	121	Low
BB:2:19	1	1	50	0	1	439	0.20	2.0	0.40	1,098	Very high
	1	1	50	0	2	685	0.20	2.0	0.40	1,713	Very high
	1	1	50	0	3	261	0.21	2.0	0.42	621	High
	Total 1					1,385	0.61		1.22	1,135	Very high
	2	2	50	0	1	293	0.18	2.0	0.36	814	High
	2	2	50	0	2	445	0.17	2.0	0.34	1,309	Very high
	2	2	50	0	3	138	0.13	1.0	0.13	1,062	Very high
	Total 2					876	0.48		0.83	1,055	Very high
BB:2:51	0	1	4	0	1	66	0.13	2.0	0.26	254	Moderate
	0	1	4	0	2	89	0.21	2.0	0.42	212	Moderate
	0	1	4	0	3	61	0.25	2.0	0.50	122	Low
	0	1	4	0	4	36	0.14	1.3	0.19	192	Low
	Total 1					252	0.73		1.37	184	Low
	0	2	4	0	1	20	0.11	2.0	0.22	91	Low
	0	2	4	0	2	233	0.21	2.0	0.42	555	High
	0	2	4	0	3	244	0.18	2.0	0.36	678	High
	0	2	4	0	4	242	0.21	2.0	0.42	576	High
	0	2	4	0	5	151	0.20	2.0	0.40	378	Moderate
	0	2	4	0	6	75	0.20	2.0	0.40	188	Low
	Total 2					965	1.11		2.22	435	Moderate
BB:2:83	0	1	4	0	1	59	0.19	2.0	0.38	155	Low
	Total 1					59	0.19		0.38	155	Low
	0	2	4	0	1	578	0.16	4.0	0.64	903	High
	0	2	4	0	2	74	0.09	4.0	0.36	206	Moderate
	Total 2					652	0.25		1.00	652	High
	0	3	4	0	1	95	0.16	2.0	0.32	297	Moderate
	0	3	4	0	2	44	0.15	2.0	0.30	147	Low
	Total 3					139	0.31		0.62	224	Moderate
	0	4	4	0	1	55	0.13	2.0	0.26	212	Moderate
	0	4	4	0	2	57	0.26	2.0	0.52	110	Low
	Total 4					112	0.39		0.78	144	Low
BB:6:2	0	1	4	0	1	29	0.22	2.0	0.44	66	Low
	Total 1					29	0.22		0.44	66	Low

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	Density
BB:6:2 (cont'd.)											
	0	2	4	0	1	34	0.14	2.0	0.28	121	Low
		Total 2				34	0.14		0.28	121	Low
	0	3	4	0	1	113	0.22	2.0	0.44	257	Moderate
	0	3	4	0	2	149	0.16	2.0	0.32	466	Moderate
	0	3	4	0	3	188	0.20	2.0	0.40	470	Moderate
	0	3	4	0	4	71	0.22	2.0	0.44	161	Low
		Total 3				521	0.80		1.60	326	Moderate
	0	4	4	0	1	51	0.20	2.0	0.40	128	Low
	0	4	4	0	2	137	0.20	2.0	0.40	343	Moderate
	0	4	4	0	3	55	0.18	2.0	0.36	153	Low
		Total 4				243	0.58		1.16	209	Moderate
BB:6:5	1	1	50	0	1	132	0.22	2.0	0.44	300	Moderate
	1	1	50	0	2	85	0.18	2.0	0.36	236	Moderate
	1	1	50	0	3	87	0.28	2.0	0.56	155	Low
		Total 1				304	0.68		1.36	224	Moderate
	0	2	4	0	1	22	0.21	2.0	0.42	52	Low
	0	2	4	0	2	51	0.21	2.0	0.42	121	Low
	0	2	4	0	3	22	0.08	2.0	0.16	138	Low
		Total 2				95	0.50		1.00	95	Low
BB:6:11	0	1	4	0	1	237	0.19	2.0	0.38	624	High
	0	1	4	0	2	207	0.15	2.0	0.30	690	High
		Total 1				444	0.34		0.68	653	High
	0	2	4	0	1	141	0.20	2.0	0.40	353	Moderate
	0	2	4	0	2	161	0.21	2.0	0.42	383	Moderate
	0	2	4	0	3	85	0.12	2.0	0.24	354	Moderate
		Total 2				387	0.53		1.06	365	Moderate
BB:6:20	0	1	4	0	1	18	0.08	2.0	0.16	113	Low
	0	1	4	0	2	7	0.04	2.0	0.08	88	Low
		Total 1				25	0.12		0.24	104	Low
	0	2	4	0	1	3	0.17	4.0	0.68	4	Very low
		Total 2				3	0.17		0.68	4	Very low
	0	3	4	0	1	0	0.15	2.0	0.30	0	Very low
	0	3	4	0	2	10	0.16	2.0	0.32	31	Very low
		Total 3				10	0.31		0.62	16	Very low
	0	4	4	0	1	10	0.09	2.0	0.18	56	Low
		Total 4				10	0.09		0.18	56	Low
	0	5	4	0	1	2	0.15	2.0	0.30	7	Very low
		Total 5				2	0.15		0.30	7	Very low
BB:6:73	1	1	50	0	1	135	0.20	2.0	0.40	338	Moderate
	1	1	50	0	2	229	0.22	2.0	0.44	520	High
	1	1	50	0	3	145	0.21	1.0	0.21	690	High

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	Density
BB:6:73 (cont'd.)											
	1	1	50	0	4	75	0.18	1.0	0.18	417	Moderate
		Total 1				584	0.81		1.23	475	Moderate
	2	2	50	0	1	51	0.17	2.0	0.34	150	Low
	2	2	50	1	1	91	0.13	2.0	0.26	350	Moderate
		Total 2				142	0.30		0.60	237	Moderate
	2	3	50	0	1	30	0.11	2.0	0.22	136	Low
	2	3	50	1	1	75	0.15	2.0	0.30	250	Moderate
	2	3	50	2	1	161	0.14	2.0	0.28	575	High
	2	3	50	2	2	80	0.13	2.0	0.26	308	Moderate
	2	3	50	3	1	81	0.10	2.0	0.20	405	Moderate
	2	3	50	4	1	57	0.17	1.0	0.17	335	Moderate
	2	3	50	4	2	77	0.21	1.0	0.21	367	Moderate
	2	3	50	4	3	66	0.17	1.0	0.17	388	Moderate
	2	3	50	5	1	84	0.29	1.0	0.29	290	Moderate
		Total 3				711	1.47		2.10	339	Moderate
	3	4	50	0	1	59	0.12	2.0	0.24	246	Moderate
	3	4	50	0	2	183	0.21	2.0	0.42	436	Moderate
	3	4	50	0	3	390	0.19	2.0	0.38	1,026	Very high
	3	4	50	0	4	328	0.13	2.0	0.26	1,262	Very high
		Total 4				960	0.65		1.30	738	High
BB:6:110	1	1	50	0	1	59	0.17	2.0	0.34	174	Low
	1	1	50	0	2	27	0.15	2.0	0.30	90	Low
		Total 1				86	0.32		0.64	134	Low
	2	2	50	0	1	67	0.20	2.0	0.40	168	Low
	2	2	50	0	2	79	0.25	2.0	0.50	158	Low
	2	2	50	0	3	11	0.12	2.0	0.24	46	Very low
	2	2	50	0	4	11	0.08	2.0	0.16	69	Low
		Total 2				168	0.65		1.30	129	Low
	3	3	50	0	1	13	0.10	2.0	0.20	65	Low
	3	3	50	0	2	12	0.20	1.0	0.20	60	Low
		Total 3				25	0.30		0.40	63	Low
BB:7:5	1	1	50	0	1	119	0.10	2.0	0.20	595	High
	1	1	50	0	2	235	0.20	2.0	0.40	588	High
	1	1	50	0	3	378	0.25	2.0	0.50	756	High
		Total 1				732	0.55		1.10	665	High
	2	2	50	0	1	134	0.18	2.0	0.36	372	Moderate
	2	2	50	0	2	323	0.33	2.0	0.66	489	Moderate
		Total 2				457	0.51		1.02	448	Moderate
	3	3	50	0	1	94	0.20	2.0	0.40	235	Moderate
	3	3	50	1	1	123	0.14	2.0	0.28	439	Moderate
		Total 3				217	0.34		0.68	319	Moderate

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	Density
BB:7:5 (cont'd.)											
	4	4	50	0	1	61	0.14	2.0	0.28	218	Moderate
	4	4	50	0	2	86	0.21	2.0	0.42	205	Moderate
	4	4	50	0	3	27	0.13	2.0	0.26	104	Low
	Total 4					174	0.48		0.96	181	Low
	5	5	50	0	1	137	0.10	4.0	0.40	343	Moderate
	Total 5					137	0.10		0.40	343	Moderate
	6	6	50	0	1	102	0.21	2.0	0.42	243	Moderate
	6	6	50	0	2	41	0.18	2.0	0.36	114	Low
	Total 6					143	0.39		0.78	183	Low
	7	7	50	0	1	10	0.06	2.0	0.12	83	Low
	7	7	50	0	2	32	0.15	2.0	0.30	107	Low
	7	7	50	0	3	1	0.02	2.0	0.04	25	Very low
	Total 7					43	0.23		0.46	93	Low
BB:11:2	1	1	50	0	1	208	0.19	4.0	0.76	274	Moderate
	1	1	50	0	2	148	0.19	4.0	0.76	195	Low
	Total 1					356	0.38		1.52	234	Moderate
	2	2	50	0	1	92	0.12	2.0	0.24	383	Moderate
	2	2	50	0	2	122	0.14	2.0	0.28	436	Moderate
	2	2	50	0	3	105	0.15	2.0	0.30	350	Moderate
	2	2	50	0	4	79	0.10	2.0	0.20	395	Moderate
	Total 2					398	0.51		1.02	390	Moderate
	0	3	4	0	1	146	0.24	4.0	0.96	152	Low
	0	3	4	0	2	58	0.02	4.0	0.08	725	High
	Total 3					204	0.26		1.04	196	Low
BB:11:26	0	1	4	0	1	3	0.14	2.0	0.28	11	Very low
	Total 1					3	0.14		0.28	11	Very low
	0	2	4	0	1	4	0.03	2.0	0.06	67	Low
	0	2	4	1	1	72	0.21	2.0	0.42	171	Low
	Total 2					76	0.24		0.48	158	Low
	0	3	4	0	1	31	0.19	2.0	0.38	82	Low
	Total 3					31	0.19		0.38	82	Low
	0	4	4	0	1	24	0.14	2.0	0.28	86	Low
	Total 4					24	0.14		0.28	86	Low
	0	5	4	0	1	2	0.02	2.0	0.04	50	Very low
	Total 5					2	0.02		0.04	50	Very low
	0	6	4	0	1	55	0.17	2.0	0.34	162	Low
	Total 6					55	0.17		0.34	162	Low
	0	7	4	0	1	19	0.09	2.0	0.18	106	Low
	Total 7					19	0.09		0.18	106	Low
	0	8	4	0	1	16	0.29	2.0	0.58	28	Very low
	0	8	4	0	2	39	0.24	2.0	0.48	81	Low
	0	8	4	0	3	134	0.19	2.0	0.38	353	Moderate
	0	8	4	0	4	112	0.17	2.0	0.34	329	Moderate

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	Density
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	
BB:11:26 (cont'd.)											
	0	8	4	0	5	124	0.19	2.0	0.38	326	Moderate
	0	8	4	0	6	89	0.22	2.0	0.44	202	Moderate
	0	8	4	1	1	13	0.14	2.0	0.28	46	Very low
		Total 8				527	1.44		2.88	183	Low
	0	9	4	0	1	3	0.16	2.0	0.32	9	Very low
	0	9	4	0	2	1	0.26	2.0	0.52	2	Very low
	0	9	4	0	3	2	0.23	2.0	0.46	4	Very low
	0	9	4	0	4	3	0.19	1.0	0.19	16	Very low
	0	9	4	0	5	45	0.20	1.0	0.20	225	Moderate
	0	9	4	0	6	136	0.21	1.0	0.21	648	High
	0	9	4	1	1	186	0.20	1.0	0.20	930	High
	0	9	4	1	2	66	0.28	1.0	0.28	236	Moderate
		Total 9				442	1.73		2.38	186	Low
BB:11:27	0	1	4	0	1	5	0.12	2.0	0.24	21	Very low
	0	1	4	0	2	15	0.21	2.0	0.42	36	Very low
		Total 1				20	0.33		0.66	30	Very low
	2	2	50	0	1	482	0.29	4.0	1.16	416	Moderate
	2	2	50	0	2	288	0.21	4.0	0.84	343	Moderate
		Total 2				770	0.50		2.00	385	Moderate
	1	3	60	0	1	65	0.18	2.0	0.36	181	Low
	1	3	60	0	2	54	0.14	2.0	0.28	193	Low
		Total 3				119	0.32		0.64	186	Low
	0	4	4	0	1	23	0.15	2.0	0.30	77	Low
		Total 4				23	0.15		0.30	77	Low
	0	5	4	0	1	12	0.17	2.0	0.34	35	Very low
	0	5	4	0	2	19	0.22	2.0	0.44	43	Very low
	0	5	4	0	3	8	0.04	2.0	0.08	100	Low
		Total 5				39	0.43		0.86	45	Very low
	0	6	4	0	1	8	0.13	2.0	0.26	31	Very low
	0	6	4	0	2	4	0.18	2.0	0.36	11	Very low
	0	6	4	0	3	8	0.12	2.0	0.24	33	Very low
		Total 6				20	0.43		0.86	23	Very low
BB:11:36	0	1	4	0	1	84	0.21	2.0	0.42	200	Low
	0	1	4	0	2	12	0.03	2.0	0.06	200	Low
		Total 1				96	0.24		0.48	200	Low
	0	2	4	0	1	122	0.17	2.0	0.34	359	Moderate
	0	2	4	0	2	121	0.20	2.0	0.40	303	Moderate
	0	2	4	0	3	56	0.21	2.0	0.42	133	Low
		Total 2				299	0.58		1.16	258	Moderate
	0	3	4	0	1	65	0.10	2.0	0.20	325	Moderate
	0	3	4	0	2	194	0.20	2.0	0.40	485	Moderate
	0	3	4	0	3	21	0.10	2.0	0.20	105	Low
		Total 3				280	0.40		0.80	350	Moderate

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	Density
BB:11:36 (cont'd.)											
	0	4	4	0	1	22	0.22	2.0	0.44	50	Very low
		Total 4				22	0.22		0.44	50	Very low
	0	5	4	0	1	37	0.12	2.0	0.24	154	Low
	0	5	4	0	2	55	0.23	2.0	0.46	120	Low
		Total 5				92	0.35		0.70	131	Low
	0	6	4	0	1	76	0.15	2.0	0.30	253	Moderate
	0	6	4	0	2	91	0.13	2.0	0.26	350	Moderate
		Total 6				167	0.28		0.56	298	Moderate
BB:11:91											
1	1	1	10	0	1	0	0.06	2.0	0.12	0	Very low
1	1	1	10	0	2	3	0.09	2.0	0.18	17	Very low
1	1	1	10	0	3	4	0.10	2.0	0.20	20	Very low
1	1	1	11	0	1	2	0.11	2.0	0.22	9	Very low
1	1	1	11	0	2	1	0.04	2.0	0.08	13	Very low
		Total 1				10	0.40		0.80	13	Very low
2	2	2	10	0	1	1	0.07	2.0	0.14	7	Very low
2	2	2	10	0	2	9	0.10	2.0	0.20	45	Very low
2	2	2	10	0	3	7	0.10	2.0	0.20	35	Very low
2	2	2	10	0	4	6	0.10	2.0	0.20	30	Very low
2	2	2	10	0	5	16	0.20	2.0	0.40	40	Very low
2	2	2	10	0	6	19	0.11	2.0	0.22	86	Low
		Total 2				58	0.68		1.36	43	Very low
3	3	3	10	0	1	81	0.10	2.0	0.20	405	Moderate
3	3	3	10	0	2	92	0.12	2.0	0.24	383	Moderate
3	3	3	10	0	3	79	0.10	2.0	0.20	395	Moderate
3	3	3	10	0	4	55	0.12	2.0	0.24	229	Moderate
3	3	3	10	0	5	57	0.10	2.0	0.20	285	Moderate
3	3	3	10	0	6	33	0.10	2.0	0.20	165	Low
3	3	3	10	0	7	29	0.11	2.0	0.22	132	Low
3	3	3	10	0	8	12	0.17	2.0	0.34	35	Very low
		Total 3				438	0.92		1.84	238	Moderate
4	4	4	10	0	1	1	0.07	2.0	0.14	7	Very low
4	4	4	10	0	2	2	0.08	2.0	0.16	13	Very low
4	4	4	10	0	3	0	0.13	2.0	0.26	0	Very low
4	4	4	10	0	4	1	0.23	2.0	0.46	2	Very low
4	4	4	10	0	5	1	0.04	2.0	0.08	13	Very low
		Total 4				5	0.55		1.10	5	Very low
0	5	5	4	0	1	0	0.09	2.0	0.18	0	Very low
0	5	5	4	0	2	1	0.11	2.0	0.22	5	Very low
0	5	5	4	0	3	18	0.09	2.0	0.18	100	Low
0	5	5	4	0	4	8	0.18	2.0	0.36	22	Very low
0	5	5	4	0	5	7	0.09	2.0	0.18	39	Very low
		Total 5				34	0.56		1.12	30	Very low

Table 1. Continued.

AZ (ASM)											
Site	Control					Number	Thickness	Area	Volume	Sherds/	Density
Number	Feature	Unit	Context	Stratum	Level	of Sherds	(m)	(m ²)	(m ³)	m ³	
BB:11:100	0	1	4	0	1	32	0.10	2.0	0.20	160	Low
	0	1	4	0	2	34	0.12	2.0	0.24	142	Low
		Total 1				66	0.22		0.44	150	Low
	0	2	4	0	1	48	0.23	2.0	0.46	104	Low
	0	2	4	0	2	0	0.21	2.0	0.42	0	-
	0	2	4	0	3	35	0.06	2.0	0.12	292	Moderate
		Total 2				83	0.50		1.00	83	Low
	0	3	4	0	1	26	0.22	2.0	0.44	59	Low
	0	3	4	0	2	2	0.13	2.0	0.26	8	Very low
		Total 3				28	0.35		0.70	40	Very low
BB:15:1	0	1	4	0	1	22	0.10	2.0	0.20	110	Low
	0	1	4	0	2	134	0.21	2.0	0.42	319	Moderate
	0	1	4	0	3	40	0.14	2.0	0.28	143	Low
		Total 1				196	0.45		0.90	218	Moderate
	1	2	50	0	1	67	0.20	2.0	0.40	168	Low
	1	2	50	0	2	38	0.20	2.0	0.40	95	Low
	1	2	50	0	3	43	0.20	2.0	0.40	108	Low
	1	2	50	0	4	20	0.16	2.0	0.32	63	Low
	3	2	10	0	1	39	0.27	2.0	0.54	72	Low
	3	2	10	0	2	28	0.18	2.0	0.36	78	Low
		Total 2				235	1.21		2.42	97	Low
	2	3	50	0	1	42	0.19	2.0	0.38	111	Low
	2	3	50	0	2	52	0.21	2.0	0.42	124	Low
	2	3	50	0	3	69	0.27	2.0	0.54	128	Low
		Total 3				163	0.67		1.34	122	Low
	0	4	4	0	1	36	0.18	2.0	0.36	100	Low
	0	4	4	0	2	2	0.14	2.0	0.28	7	Very low
		Total 4				38	0.32		0.64	59	Low
	0	5	4	0	1	73	0.21	2.0	0.42	174	Low
	0	5	4	0	2	45	0.18	2.0	0.36	125	Low
		Total 5				118	0.39		0.78	151	Low
	0	6	4	0	1	109	0.17	2.0	0.34	321	Moderate
0	6	4	0	2	124	0.21	2.0	0.42	295	Moderate	
0	6	4	0	3	87	0.18	2.0	0.36	242	Moderate	
0	6	4	0	4	17	0.07	2.0	0.14	121	Low	
	Total 6				337	0.63		1.26	267	Moderate	
Project Total						28,233	49.71		100.96	280	Moderate

^aContext codes: 1 = plowzone; 4 = sheet trash; 10, 42 = structure fill; 11, 41 = roof/wall collapse; 12 = fill between roof/wall collapse and floor; 50 = fill of external feature (primarily middens); 60 = plaza fill; 61 = plaza wall fall.

^bOnly sherds greater than 1 in² in area are included.