

---

**MACROBOTANICAL DATA FROM  
HONEY BEE VILLAGE,  
AZ BB:9:88 (ASM)**

*Michael W. Diehl  
Desert Archaeology, Inc.*

Cite as:

Diehl, Michael W.

2012 Macrobotanical Data from Honey Bee Village, AZ BB:9:88 (ASM).  
<<http://www.archaeologysouthwest.org/ap48>>.



**Table 1.** General characteristics of flotation samples from non-mortuary features at Honey Bee Village, AZ BB:9:88 (ASM).

Feature	FN	Volume (liters)	Weight (gm)	Modern Seeds	Insect Fragments	Rodent Feces	Snails
33	2078	5.0	14.9	0	1-50	0	0
33	3006	6.0	17.9	1-50	1-50	0	0
206	604	5.0	10.8	0	0	0	0
213	7059	6.0	25.5	1-50	1-50	0	0
213	7083	5.0	21.0	0	1-50	1-50	0
213	7096	6.0	22.9	0	0	0	0
225	3182	4.5	23.5	0	0	0	0
225	3185	4.5	18.6	0	0	0	1-50
226	6159	3.0	5.4	0	1-50	0	0
228.01	6246	6.0	19.4	0	0	0	0
229	557	5.0	6.6	0	0	0	0
244	714	4.0	16.7	0	1-50	101-500	0
244	721	5.0	12.0	0	0	0	0
244	728	5.0	25.9	0	1-50	0	0
246	3219	6.0	227.0	1-50	0	0	0
246	5032	6.0	25.4	0	0	0	0
248	643	6.0	11.8	0	1-50	0	0
248	651	8.0	22.5	0	0	0	0
248.01	3220	4.0	13.3	1-50	1-50	0	0
252	701	4.0	12.6	1-50	0	0	0
260	583	6.0	23.5	101-500	101-500	0	0
260	664	6.0	44.0	101-500	101-500	0	0
263	5243	6.0	38.5	0	0	0	0
265.01	7564	4.0	13.2	101-500	1-50	0	0
265.05	7581	4.0	8.2	0	0	0	0
285.01	6064	3.0	1.3	0	0	0	0
286	6447	5.0	18.6	0	0	0	0
305	268	4.0	57.8	0	0	0	0
308	748	6.0	20.3	0	0	0	0
315	278	10.0	39.6	51-100	0	0	0
361	5846	7.0	24.2	1-50	1-50	0	0
361	5853	6.0	78.0	0	0	0	0
361.01	5866	0.3	0.4	0	0	0	0
377	6414	8.0	22.7	0	0	0	0
412	6801	4.0	4.6	0	0	0	0
412	7148	5.0	25.2	0	0	0	0
419.01	7618	2.0	1.4	0	0	0	0
429.01	7910	6.0	23.6	0	0	0	0
430	5712	5.0	154.0	0	0	0	0
431	6155	5.0	16.7	0	0	0	0
484	5741	4.0	13.7	0	101-500	0	0
484	5897	7.0	54.8	1-50	0	0	0
490	6569	6.0	44.5	0	1-50	0	0
497	6848	5.0	10.2	0	0	0	0
497	6849	6.0	10.6	0	0	0	0
534	6519	7.0	27.1	0	0	0	0
539	8091	6.0	17.5	0	0	0	0
539	8096	5.0	25.6	0	0	0	0
541	6652	5.0	15.8	0	0	0	0

Table 1. Continued.

Feature	FN	Volume (liters)	Weight (gm)	Modern Seeds	Insect Fragments	Rodent Feces	Snails
541	6654	6.0	11.4	0	0	0	0
541	7485	6.0	11.8	0	0	0	0
553	6700	4.0	18.7	0	1-50	0	0
553	6763	3.0	7.4	0	51-100	0	0
554	5046	6.0	18.3	0	0	0	0
572	7432	5.0	42.1	0	1-50	0	0
572	7433	5.0	15.5	0	0	0	0
581	5049	6.0	14.4	0	0	0	0
588	7273	5.0	13.4	0	0	0	0
602	953	6.0	18.0	0	0	0	0
602	1102	6.0	20.2	0	0	0	0
602.06	1090	1.0	1.1	0	0	0	0
603	5196	4.0	7.8	0	1-50	0	0
611	528	4.0	12.7	0	0	0	0
620.01	828	6.0	17.2	0	0	0	0
620.01	848	4.0	11.9	0	0	0	0
626	1508	6.0	23.5	0	0	0	0
627	4441	3.0	14.3	0	0	0	0
632	1355	-	5.1	0	0	0	0
635	4755	5.0	22.5	0	0	0	0
635	4756	4.0	55.5	1-50	1-50	0	0
640	3005	5.0	23.8	1-50	1-50	0	0
641	4152	4.0	13.0	0	0	1-50	0
642.01	3064	2.0	4.3	0	0	0	0
643	8712	5.0	15.4	0	0	0	0
649	2094	5.0	23.4	101-500	0	0	0
652	3088	5.0	22.2	1-50	0	0	0
654	328	5.0	17.8	0	0	0	0
666	5448	5.0	18.0	0	0	0	0
668	889	6.0	20.2	0	0	0	0
669	876	5.0	12.5	0	0	0	0
669	898	3.0	6.1	0	0	0	0
679	340	5.8	25.2	0	1-50	1-50	0
686	421	6.5	20.3	0	0	0	0
686.02	5423	4.0	10.5	0	1-50	0	0
705	3122	7.0	25.2	0	1-50	1-50	0
705.01	3126	1.0	2.6	0	1-50	101-500	0
708	3152	6.0	15.0	0	0	0	0
709	1000	4.5	18.4	0	0	0	0
711	1887	3.0	8.5	0	0	0	0
714	3025	5.0	24.3	1-50	51-100	0	0
719	3247	5.0	14.1	0	0	0	0
723	846	4.0	11.8	0	0	0	0
723.01	860	4.0	8.5	0	101-500	0	0
760	5391	3.0	26.4	0	0	0	0
760	5398	4.0	7.6	0	0	0	0
760	5468	4.0	11.1	0	51-100	0	0
769	5476	5.0	16.5	0	1-50	0	0
769.01	974	3.0	4.5	0	0	0	0
775	5542	5.0	18.6	0	0	0	0

Table 1. Continued.

Feature	FN	Volume (liters)	Weight (gm)	Modern Seeds	Insect Fragments	Rodent Feces	Snails
787	1005	5.0	16.8	0	1-50	0	0
802	5603	6.0	30.0	0	1-50	0	0
805	5118	4.0	14.9	1-50	51-100	0	0
809	5638	6.0	45.2	51-100	1-50	0	0
816	980	4.0	13.7	0	0	0	0
816	5487	4.0	15.9	0	1-50	0	0
830	1060	4.0	10.7	0	0	0	0
830	5659	3.0	14.3	0	0	0	0
855	1287	4.0	24.5	0	0	0	0
874	1587	6.0	38.0	0	0	0	0
874	1598	4.0	19.1	0	1-50	0	0
874.01	1602	4.0	13.8	0	1-50	0	0
917	7682	4.0	8.4	0	0	0	0
925	4938	5.0	31.5	0	1-50	0	0
938	1549	3.0	4.7	0	0	0	0
938	7711	9.0	15.2	0	1-50	0	0
938	7733	5.0	19.5	0	1-50	0	0
938	7744	4.0	6.9	0	0	0	0
938.03	7753	6.0	28.7	0	0	0	0
943	4841	7.0	37.9	0	0	0	0
943	8868	0.2	0.3	0	0	0	0
947	7763	6.0	20.9	0	0	0	0
954	4933	6.0	21.0	0	1-50	0	0
955	4934	5.0	28.3	0	0	1-50	0
960	1568	4.0	17.6	0	0	0	0
960	1570	5.0	17.5	1-50	0	0	0
960	4092	6.0	24.3	0	0	0	0
960.02	4098	5.0	19.7	0	0	0	0
1003	1745	4.0	6.4	0	0	0	0
1024	4582	7.0	13.0	0	1-50	0	0
1032	7868	4.0	22.2	1-50	0	1-50	1-50
1033	4597	2.0	10.9	0	0	0	0
1061	1928	5.0	17.0	0	1-50	0	0
1088.01	7852	6.0	16.2	0	0	0	0
1094	1550	8.3	8.3	0	1-50	0	0
1098	4222	7.0	22.4	0	0	0	0
1100	1733	6.0	31.0	0	0	0	0
1100.01	1741	6.0	14.4	0	0	0	0
1114	1611	7.0	13.4	0	0	0	0
1115	1972	3.0	5.8	0	0	0	0
1115	1984	4.0	7.1	1-50	0	0	0
1116	1702	6.0	32.3	0	0	0	0
1139	4930	5.0	81.2	0	0	0	0
1140	1858	6.0	19.0	0	0	0	0
1161	4120	4.0	12.4	0	51-100	0	0
1161	4188	5.0	12.8	1-50	0	0	0
1161.01	4195	4.0	5.5	0	0	0	0
1194	4447	2.0	7.7	0	0	0	0
1196	4500	7.0	62.5	0	0	0	0
1218	1757	5.0	31.6	0	0	0	0

Table 1. Continued.

Feature	FN	Volume (liters)	Weight (gm)	Modern Seeds	Insect Fragments	Rodent Feces	Snails
1222	4216	6.0	14.2	0	0	0	0
1232.01	8724	0.5	0.5	0	0	0	0
1277	5012	3.0	11.7	0	0	0	0
1294	4132	5.0	9.3	0	0	0	0
1295	1958	6.0	117.4	51-100	0	0	0
1295	1963	5.0	19.0	1-50	1-50	0	0
1298	4932	4.0	28.2	0	51-100	0	0
1314	5011	2.0	10.8	1-50	1-50	0	0
1315	4833	5.0	23.0	0	0	0	0
1321	4165	6.0	15.8	0	0	0	0
1321	4168	6.0	19.7	0	0	0	0
1325	5143	5.0	18.0	1-50	1-50	0	0
1330	4706	8.0	12.6	0	0	0	0
1331	5207	4.0	13.8	0	1-50	0	0
1332	4726	6.0	8.6	0	0	0	0
1349	4935	2.0	27.3	0	1-50	0	0
1354	4319	6.0	17.5	0	0	0	0
1378	4346	6.0	13.4	0	0	0	0
1392.01	4528	1.0	0.3	0	0	0	0
1428	4274	2.0	3.5	0	0	0	0
1428	4279	4.0	4.2	0	0	0	0
1481	8863	7.5	8.8	0	0	0	0
1481.09	8865	6.0	5.9	0	0	0	0
1540.01	8823	5.0	7.7	0	0	0	0
1547	4483	6.0	15.2	0	0	0	0
1617	4929	6.0	197.5	0	0	0	0
2001	7653	16.0	54.7	0	0	0	0
2013	5044	6.0	52.9	0	0	0	0
2015	8712	5.0	15.4	0	0	0	0
2015.01	8855	2.0	1.2	0	0	0	0
2015.04	7379	7.0	45.2	0	0	0	0
2018	1762	5.0	30.0	51-100	1-50	0	0
2018	1763	6.0	21.6	0	0	0	0
2019.04	7995	5.0	22.4	0	0	0	0
2041.01	8902	1.5	3.0	0	0	0	0
2042	8404	7.0	9.5	0	0	0	0
2080	8418	6.0	19.4	0	0	0	0
2080	8491	5.0	8.1	0	0	0	0
2086	4939	6.0	16.0	0	0	0	0
2092	8372	6.0	12.8	0	1-50	0	0
2118	8733	0.1	0.2	0	0	0	0
4004	9217	6.0	26.9	0	0	0	0
4013	9024	6.0	11.0	0	1-50	0	0
4013	9035	5.0	17.2	0	0	0	0
4013	9063	6.0	16.4	0	0	0	0
4013.01	9067	1.0	1.4	0	0	0	0
4014	9101	4.0	19.8	0	51-100	0	0
4014.01	9109	2.0	22.6	0	0	0	0
4014.03	9288	6.0	17.1	0	0	0	0
4015	9155	6.0	16.3	0	0	0	0

Table 1. Continued.

Feature	FN	Volume (liters)	Weight (gm)	Modern Seeds	Insect Fragments	Rodent Feces	Snails
4015	9160	2.0	7.3	0	0	0	0
4015	9161	2.0	2.3	0	0	0	0
4015	9165	5.0	27.6	0	0	0	0
4015	9197	7.0	63.1	0	1-50	0	0
4015	9207	4.0	31.9	0	0	0	0
4015	9314	1.0	5.4	0	0	0	0
4016	9135	5.0	16.6	1-50	1-50	0	0
4020	9086	8.0	39.0	1-50	1-50	0	0
4026	9265	5.0	24.3	1-50	1-50	0	0
4039	9334	6.0	19.9	0	0	0	0
4041	9274	5.0	31.3	0	0	0	0
4532	1155	4.0	10.5	0	1-50	1-50	0
5016	10165	5.0	32.0	0	0	0	0
5016	10182	5.0	71.0	1-50	51-100	0	0
5017	10092	4.0	32.0	1-50	1-50	0	0
5017	10093	4.0	20.1	0	1-50	0	0
5017	10124	4.0	318.0	0	0	0	0
5017	10125	4.0	20.6	0	0	0	0
5021	10377	6.0	45.5	0	0	0	0
5021	10400	6.0	61.7	0	0	0	0
5022	12100	3.0	14.8	0	0	0	0
5024	10200	4.8	50.8	0	1-50	0	0
5024	10208	7.0	80.8	0	0	0	0
5024	10227	5.0	18.2	0	0	0	0
5024	10238	4.0	59.4	0	1-50	0	0
5026	10305	6.0	39.3	0	51-100	0	0
5026.01	10313	4.0	16.9	1-50	1-50	0	0
5027	10488	4.0	25.2	0	0	0	0
5028	10033	6.0	58.2	0	0	0	0
5028.01	11863	1.0	3.9	0	1-50	0	0
5030	10356	5.0	30.8	0	51-100	0	0
5030	10484	6.0	31.4	51-100	1-50	0	0
5030	10647	5.0	8.9	0	51-100	0	0
5030.06	10567	4.0	8.1	0	51-100	0	0
5046	10273	4.0	28.0	0	0	0	0
5053	10256	5.0	16.2	1-50	0	1-50	0
5061	10332	4.0	33.1	0	51-100	0	0
5061	10339	3.0	26.0	1-50	1-50	0	0
5063	10538	4.0	15.7	0	51-100	0	0
5063	10541	5.0	33.2	51-100	51-100	0	0
5083	11195	4.0	6.7	0	0	0	0
5083	11204	2.0	19.2	1-50	0	0	0
5083.01	11250	2.0	0.3	0	0	0	0
5084	11907	2.0	4.4	0	0	0	0
5087	10701	5.0	11.2	0	0	0	0
5087	10706	5.0	23.6	0	0	0	0
5087	10710	4.0	32.8	0	0	0	0
5087	10715	6.0	115.3	0	0	0	0
5089	10986	4.0	9.1	0	0	0	0
5089.01	11004	3.0	4.3	0	0	0	0

Table 1. Continued.

Feature	FN	Volume (liters)	Weight (gm)	Modern Seeds	Insect Fragments	Rodent Feces	Snails
5093	12185	5.0	15.1	1-50	1-50	0	0
5093	12189	5.0	22.2	0	0	0	0
5123	10613	4.0	47.5	0	0	0	0
5124	10463	7.0	61.0	0	0	0	0
5124	10516	7.0	63.7	0	0	0	0
5124	10724	6.0	23.2	1-50	1-50	0	0
5124	10725	3.0	10.2	0	0	0	0
5124.01	10727	0.2	1.4	0	0	0	0
5143	10892	5.0	6.9	0	0	0	0
5156.01	12224	3.0	6.5	0	0	0	0
5170.03	11027	0.1	3.2	0	0	0	0
5189	11672	3.5	12.2	0	0	0	0
5189	11700	5.0	9.4	0	0	0	0
5189.01	11671	0.8	2.7	0	0	0	0
5189.01	11708	1.0	1.4	0	0	0	0
5192	11135	6.0	11.1	0	1-50	0	0
5192	11243	4.0	11.2	0	1-50	0	0
5192	11309	6.0	12.9	0	0	0	0
5192.05	11513	5.0	6.0	0	0	0	0
5260	11584	6.0	37.2	0	1-50	0	0
5281	10950	5.0	10.2	0	51-100	0	0
5284	11550	3.0	17.0	0	0	0	0
5284	11562	3.0	8.1	0	0	0	0
5296	11929	4.0	73.6	1-50	0	0	0
5296	11937	5.0	17.6	0	0	0	0
5296.01	12061	2.0	2.4	0	0	0	0
5296.02	12064	2.0	7.3	1-50	1-50	0	0
5297	12140	1.0	3.8	1-50	1-50	0	0
5308	11085	5.0	24.4	0	0	0	0
5320	11380	3.0	5.3	0	0	0	0
5320	11391	2.5	8.7	0	0	0	0
5320.01	11383	1.0	3.0	0	1-50	0	0
5324	11350	5.0	32.6	0	0	0	0
5364.01	12449	0.5	0.4	0	1-50	0	0
5382	11606	4.0	19.7	0	1-50	0	0
5383	12084	4.0	8.3	0	1-50	0	0
5417.01	12030	7.0	24.8	101-500	51-100	0	0
5442	11727	2.0	3.6	0	0	0	0
5448	12339	5.0	17.5	0	51-100	0	0
5449	12400	6.0	13.0	0	0	0	1-50
5449.01	12417	2.0	6.4	0	1-50	0	0
5449.02	12429	6.0	10.7	0	1-50	0	0
5467	11852	6.0	18.4	0	0	0	0
5495	12244	7.0	20.5	0	0	0	0
5495.01	12275	5.0	9.1	0	0	0	0
5495.02	12245	7.0	16.2	0	0	0	0
5495.05	12249	5.0	10.0	0	1-50	0	0





Table 2. Continued.

Feature	FN	Period/Phase/Subphase	Taxa
554	5046	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
581	5049	Middle Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
588	7273	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
602	953	Middle Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
602	1102	Middle Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
603	5196	Tortolita	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
666	5448	Middle Rincon 2- Middle Rincon 3	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
714	3025	Late Rincon-Tanque Verde	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
723.01	860	Middle Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
830	1060	Rillito	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
855	1287	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
874	1598	Middle Rincon 1- Middle Rincon 2	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
938	7733	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
938	7744	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
938.03	7753	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
943	8868	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines)
			Trianthema sp. (False Purslane)
			Cactaceae (Cactus Family)
			Carnegiea gigantea (Saguaro Cactus)
			Echinocactus sp. (Hedgehog Cactus)
			Mammillaria sp. (Pincushion Cactus)
			Opuntia sp. (Prickly Pear)
			Cheno-ams (Undifferentiated Goosefoot or Pigweed)
			Chenopodium sp. (Goosefoot)
			Cleome sp. (Beeweed)
			Compositae (Sunflower or Aster Family)
			Helianthus sp. (Sunflower)
			Descurainia sp. (Tansy Mustard)
			Cucurbitaceae (Squash or Gourd)
			Juniperus sp. (Juniper)
			Gramineae (Grass Family)
			Eragrostis sp. (Lovegrass)
			Panicum sp. (Panic Grass)
			Zea mays (Maize Cupules or Kernels)
			Labiatae (Sage or Mint Family)
			Phaseolus cf. vulgaris (Common Bean)
			Prosopis sp. (Mesquite)
			Gossypium hirsutum (Cotton)
			Sphaeralcea sp. (Globemallow)
			cf. Pinus sp. (Pine Nut Shell)
			Nicotiana sp. (Tobacco)
			Vitis cf. arizonica (Canyon Grape)
			Unidentified

Table 2. Continued.

Feature	FN	Period/Phase/Subphase	Taxa
955	4934	Nonspecific Ceramic period	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1024	4582	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 3
1061	1928	Late Rincon-Tanque Verde	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1088.01	7852	Tanque Verde	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1098	4222	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1114	1611	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1140	1858	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 1
1161.01	4195	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1218	1757	Middle Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1239	8880	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 1
1277	5012	Middle Rincon-Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1305	4731	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1305	4735	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1315	4833	Middle Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1321	4165	Tortolita	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1323	4686	Middle Rincon-Tanque Verde	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
			Trianthema sp. (False Purslane) 0
			Cactaceae (Cactus Family) 0
			Carnegiea gigantea (Saguaro Cactus) 0
			Echinocactus sp. (Hedgehog Cactus) 0
			Mammillaria sp. (Pincushion Cactus) 0
			Opuntia sp. (Prickly Pear) 0
			Cheno-ams (Undifferentiated Goosefoot or Pigweed) 0
			Chenopodium sp. (Goosefoot) 0
			Cleome sp. (Beeweed) 0
			Compositae (Sunflower or Aster Family) 0
			Helianthus sp. (Sunflower) 0
			Descurainia sp. (Tansy Mustard) 0
			Cucurbitaceae (Squash or Gourd) 0
			Juniperus sp. (Juniper) 0
			Gramineae (Grass Family) 0
			Eragrostis sp. (Lovegrass) 0
			Panicum sp. (Panic Grass) 0
			Zea mays (Maize Cupules or Kernels) 1
			Labiateae (Sage or Mint Family) 0
			Phaseolus cf. vulgaris (Common Bean) 0
			Prosopis sp. (Mesquite) 0
			Gossypium hirsutum (Cotton) 0
			Sphaeralcea sp. (Globemallow) 0
			cf. Pinus sp. (Pine Nut Shell) 0
			Nicotiana sp. (Tobacco) 0
			Vitis cf. arizonica (Canyon Grape) 0
			Unidentified 0

Table 2. Continued.

Feature	FN	Period/Phase/Subphase	Taxa
1325	5143	Early Rincon-Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1330	4706	Tanque Verde	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 1
1332	4726	Early Rincon-Tanque Verde	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1355	4312	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1357	4418	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1363	4624	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1364	4471	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1371	4353	Middle Rincon-Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 2
1481	8863	Middle Rincon 3-Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1481.09	8865	Middle Rincon 3-Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1540.01	8823	Middle Rincon 3-Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
1605	4810	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
2015	8712	Tanque Verde	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
2037	8140	Late Rincon	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
2080	8418	Rillito	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
2092	8372	Cañada del Oro-Tanque Verde	Agave sp. (Agave Caudex, Marginal Teeth, or Spines) 0
			Trianthema sp. (False Purslane) 0
			Cactaceae (Cactus Family) 0
			Carnegiea gigantea (Saguaro Cactus) 0
			Echinocactus sp. (Hedgehog Cactus) 0
			Mammillaria sp. (Pincushion Cactus) 0
			Opuntia sp. (Prickly Pear) 0
			Cheno-ams (Undifferentiated Goosefoot or Pigweed) 0
			Chenopodium sp. (Goosefoot) 0
			Cleome sp. (Beeweed) 0
			Compositae (Sunflower or Aster Family) 0
			Helianthus sp. (Sunflower) 0
			Descurainia sp. (Tansy Mustard) 0
			Cucurbitaceae (Squash or Gourd) 0
			Juniperus sp. (Juniper) 0
			Gramineae (Grass Family) 0
			Eragrostis sp. (Lovegrass) 0
			Panicum sp. (Panic Grass) 0
			Zea mays (Maize Cupules or Kernels) 1
			Labatae (Sage or Mint Family) 0
			Phaseolus cf. vulgaris (Common Bean) 0
			Prosopis sp. (Mesquite) 1
			Gossypium hirsutum (Cotton) 0
			Sphaeralcea sp. (Globemallow) 0
			cf. Pinus sp. (Pine Nut Shell) 0
			Nicotiana sp. (Tobacco) 0
			Vitis cf. arizonica (Canyon Grape) 0
			Unidentified 0







Table 3. Frequencies of wood charcoal, by taxon, in flotation samples from Honey Bee Village, AZ BB:9:88 (ASM).

Feature	FN	Period/Phase/Subphase	Locus	Taxon															
213	7059	Cañada del Oro-Tanque Verde	E-1	Agavaceae (Agave/Yucca Family)	Atriplex sp. (Saltbush)	Juniperus sp. (Juniper)	Quercus sp. (Oak)	Fouquieria sp. (Ocotillo)	Gramineae (Grass Family Stems)	cf. <i>Cercidium</i> sp. (Resembles Paloverde)	cf. <i>Oleyna</i> sp. (Resembles Ironwood)	Desert Tree Legume (Sonoran Desert Tree Legumes Not More Precisely Identified)	<i>Acacia/Prosopis</i> sp. Type (Acacia or Mesquite)	<i>Fraxinus</i> sp. (Ash)	<i>Pinus</i> sp. (Pine)	<i>Pinus</i> cf. <i>edulis</i> (Resembles Pinyon Pine)	<i>Populus/Salix</i> sp. Type (Cottonwood or Willow)	<i>Pinus/Juniperus</i> sp. Type (Pine or Juniper)	Unidentified
213	7083	Cañada del Oro-Tanque Verde	E-1	0	0	0	0	0	0	0	0	0	18	0	0	0	0	0	0
213	7096	Cañada del Oro-Tanque Verde	E-1	0	0	0	0	0	0	0	0	18	0	0	0	0	0	0	0
225	3182	Late Rincon	E-1	2	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0
225	3185	Late Rincon	E-1	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0
226	6159	Late Rincon	E-1	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0
228.01	6246	Cañada del Oro-Late Rincon	E-1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
244	714	Rillito-Late Rincon	E-2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
244	721	Rillito	E-2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
244	728	Rillito	E-2	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
246	3219	Late Rincon	E-2	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
246	5032	Late Rincon	E-2	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
248	643	Late Rincon	E-2	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
248	651	Late Rincon	E-2	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
248.01	3220	Late Rincon	E-2	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
252	701	Middle Rincon	E-2	0	0	1	0	0	0	0	0	6	0	0	0	0	0	0	0
260	583	Late Rincon	E-3	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0
260	664	Middle Rincon-Late Rincon	E-3	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0
265.01	7564	Early Rincon-Middle Rincon 1	E-3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
265.05	7581	Early Rincon-Middle Rincon 1	E-3	0	0	0	0	0	0	0	0	11	0	0	0	0	0	0	0

















Table 3. Continued.

Feature	FN	Period/Phase/Subphase	Locus	Taxon															
2019.04	7995	Middle Rincon-Late Rincon	E-3	Agavaceae (Agave/Yucca Family)	<i>Atriplex</i> sp. (Saltbush)	<i>Juniperus</i> sp. (Juniper)	<i>Quercus</i> sp. (Oak)	<i>Fouquieria</i> sp. (Ocotillo)	Gramineae (Grass Family Stems)	<i>cf. Cercidium</i> sp. (Resembles Paloverde)	<i>cf. Olneya</i> sp. (Resembles Ironwood)	Desert Tree Legume (Sonoran Desert Tree Legumes Not More Precisely Identified)	<i>Acacia/Prosopis</i> sp. Type (Acacia or Mesquite)	<i>Fraxinus</i> sp. (Ash)	<i>Pinus</i> sp. (Pine)	<i>Pinus cf. edulis</i> (Resembles Pinyon Pine)	<i>Populus/Salix</i> sp. Type (Cottonwood or Willow)	<i>Pinus/Juniperus</i> sp. Type (Pine or Juniper)	Unidentified
2041.01	8902	Middle Rincon-Late Rincon	E-4	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0
2080	8418	Rillito	E-1	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0
2086	4939	Rillito-Early Rincon	E-1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
2092	8372	Cañada del Oro-Tanque Verde	E-1	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
4004	9217	Late Rincon	W-1	0	0	0	0	0	0	0	0	2	0	0	18	0	0	0	0
4013	9024	Tortolita	W-1	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0
4013	9035	Tortolita	W-1	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0
4013	9063	Tortolita	W-1	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0
4014	9101	Middle Rincon 3	W-1	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
4014.01	9109	Middle Rincon 3	W-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4014.03	9288	Middle Rincon 3	W-1	0	0	0	0	0	1	0	0	20	0	0	0	0	0	0	0
4015	9155	Late Rincon	W-1	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0
4015	9161	Late Rincon	W-1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
4015	9165	Late Rincon	W-1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	3
4015	9197	Late Rincon	W-1	0	0	0	6	9	1	0	0	0	0	0	0	0	0	0	0
4015	9207	Late Rincon	W-1	0	0	0	4	9	1	0	0	7	0	0	0	0	0	0	0
4015	9314	Tortolita-Middle Rincon	W-1	0	0	0	1	0	0	0	0	15	0	0	0	0	0	0	0
4016	9135	Late Rincon	W-1	0	0	0	0	0	0	0	0	14	0	0	0	0	0	0	0
4020	9086	Late Rincon	W-1	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0











**Table 4.** Hand-collected macrobotanical specimens from Honey Bee Village, AZ BB:9:88 (ASM).

Feature	FN	Description	Context	Weight (gm)
221	6489	<i>Acacia-Prosopis</i> sp. wood charcoal	Adobe structure	31.4
221	6490	<i>Juniperus</i> sp. wood charcoal	Adobe structure	7.1
244	7516	<i>Pinus</i> sp. wood charcoal	Pithouse	0.3
244	7524	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	14.8
244	7525	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	3.5
244	7528	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	28.1
244	7529	<i>Pinus</i> sp. wood charcoal	Pithouse	11.8
260	667	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	1.3
265.04	7587	<i>Phaseolus vulgaris</i> , 2 cotyledons	Posthole	0.2
286	6446	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	23.3
315	267	<i>Acacia-Prosopis</i> sp. wood charcoal	Horno	113.3
361	5849	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	35.3
361	5855	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	5.3
361	5856	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	18.9
390	5887	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	23.4
430.02	7041	<i>Acacia-Prosopis</i> sp. root, not burned, digging stick	Posthole	309.0
490	6558	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	90.9
626	1507	<i>Quercus</i> sp. wood charcoal	Pithouse	3.8
626	1514	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	37.3
626	1516	<i>Quercus</i> sp. wood charcoal	Pithouse	21.0
632	1342	<i>Pinus</i> sp. wood charcoal	Pithouse	3.8
632	1347	<i>Pinus</i> sp. wood charcoal	Pithouse	0.2
632	1355	<i>Pinus</i> sp. wood charcoal	Pithouse	5.1
652.01	3091	<i>Juniperus</i> sp. wood charcoal	Pithouse	15.3
652.01	3092	<i>Juniperus</i> sp. wood charcoal	Posthole	77.8
723.02	874	<i>Quercus</i> sp. wood charcoal	Small pit	0.7
760	5417	Unidentified diffuse-porous wood charcoal	Pithouse	23.9
760	5441	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	1.4
760	5459	Unidentified diffuse-porous wood charcoal	Pithouse	32.2
795.01	1207	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	0.4
848	1151	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	5.5
848	1270	<i>Pinus</i> sp. wood charcoal	Pithouse	6.3
848	1271	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	1.4
848	1282	<i>Juniperus</i> sp. wood charcoal	Pithouse	12.0
848	1372	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	32.5
848.25	1417	<i>Pinus</i> sp. wood charcoal	Posthole	12.4
862	1195	<i>Juniperus</i> sp. or <i>Pinus</i> sp. wood charcoal	Ramada	27.9
874	1488	<i>Quercus</i> sp. wood charcoal	Pithouse	7.3
938	1527	<i>Pinus</i> sp. wood charcoal	Pithouse	11.6
938	7720	<i>Pinus</i> sp. wood charcoal	Pithouse	3.2
938	7721	<i>Juniperus</i> sp. wood charcoal	Pithouse	7.6
938	7735	<i>Acacia-Prosopis</i> sp. wood charcoal	RV <sup>a</sup>	0.6
938	7783	<i>Pinus</i> sp. wood charcoal	Pithouse	32.1
938.02	1536	<i>Pinus</i> sp. wood charcoal	Posthole	12.5
938.03	7752	<i>Pinus</i> sp. wood charcoal	Posthole	101.0
943	8753	<i>Acacia-Prosopis</i> sp. wood charcoal	Post A	12.9
943.02	8740	Desert tree legume wood charcoal	Posthole	12.7
943.03	8751	Desert tree legume wood charcoal	Posthole	0.4
943.04	8743	Desert tree legume wood charcoal	Posthole	0.1
943.05	8742	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	0.7

Table 4. Continued.

Feature	FN	Description	Context	Weight (gm)
943.06	8867	<i>Juniperus</i> sp. wood charcoal	Posthole	3.3
943.07	8866	<i>Juniperus</i> sp. wood charcoal	Posthole	0.4
943.08	8744	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	2.4
960	1564	<i>Juniperus</i> sp. wood charcoal	Pithouse	Trace <sup>b</sup>
960	1564	<i>Juniperus</i> sp. wood charcoal	Pithouse	18.7
960.03	4166	<i>Juniperus</i> sp. wood charcoal	Posthole	1,090.0
1019	1870	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	1.4
1088	4284	<i>Juniperus</i> sp. wood charcoal	Pithouse	95.3
1098	4230	<i>Pinus</i> sp. wood charcoal	Pithouse	36.3
1098	4234	<i>Pinus</i> sp. wood charcoal	Pithouse	0.4
1098	4243	<i>Juniperus</i> sp. wood charcoal	Pithouse	28.3
1098.02	4261	<i>Juniperus</i> sp. wood charcoal	Posthole	36.5
1098.03	4262	<i>Juniperus</i> sp. wood charcoal	Posthole	16.2
1098.03	4263	<i>Juniperus</i> sp. wood charcoal	Posthole	43.5
1100	1728	Desert tree legume wood charcoal	Pithouse	6.2
1100	1742	Desert tree legume wood charcoal	Pithouse	13.8
1116	1710	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	1.0
1161	4499	Desert tree legume wood charcoal	Pithouse	2.5
1196	4499	cf. <i>Cercidium</i> sp. wood charcoal	Roasting pit	35.3
1481	8647	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	7.7
1481	8784	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	4.9
1481	8792	<i>Juniperus</i> sp. wood charcoal	Pithouse	12.9
1540	8832	<i>Juniperus</i> sp. or <i>Pinus</i> sp. wood charcoal	Beam D	0.8
1540	8838	<i>Pinus</i> sp. wood charcoal	Beam A	>100
1540	8843	<i>Pinus</i> sp. wood charcoal	Beam B	40.2
1540	8844	<i>Pinus</i> sp. wood charcoal	Beam C	53.5
1540.02	8828	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	26.4
1540.07	8834	<i>Pinus</i> sp. wood charcoal	Posthole	0.5
1540.08	8835	<i>Pinus</i> sp. wood charcoal	Posthole	1.2
1547	4482	<i>Opuntia</i> sp. var. "Platyopuntia," 3 charred seeds	Slab-lined pit	Trace
1601	4956	<i>Acacia-Prosopis</i> sp. wood charcoal	Small pit	2.8
2015	7353	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	59.0
2015	7445	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	4.6
2015	8710	Desert tree legume wood charcoal	Pithouse	26.2
2015	8711	Desert tree legume wood charcoal	Pithouse	20.6
2015.02	8853	<i>Juniperus</i> sp. wood charcoal	Posthole	7.8
2019	7957	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	0.4
2041	8417	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	14.7
2041	8903	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	3.9
2041	8904	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	46.1
2041	4533	<i>Juniperus</i> sp. wood charcoal	Pithouse	24.4
2041.03	8739	<i>Juniperus</i> sp. wood charcoal	Posthole	> 1,000
2041.04	8913	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	34.5
2041.05	8914	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	15.7
2041.06	8915	Desert tree legume wood charcoal	Posthole	12.2
2041.07	8916	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	30.4
2098.03	8360	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	6.9
2098.04	8361	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	16.7
2098.05	8362	<i>Pinus</i> sp. wood charcoal	Posthole	2.6
4015	9173	<i>Pinus</i> sp. wood charcoal	Pithouse	14.7

Table 4. Continued.

Feature	FN	Description	Context	Weight (gm)
4015.03	9310	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	53.7
4015.04	9313	<i>Juniperus</i> sp. wood charcoal	Posthole	30.0
4020	9077	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	46.2
4020	9087	<i>Pinus</i> sp. wood charcoal	Pithouse	> 1,000
4020	9131	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	7.0
4059	9212	<i>Salvia</i> sp. > 100 seeds fused clump	Small pit	98.5
5006	10027	Gramineae > 100 seeds fused clump	Pithouse	0.6
5021	10364	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	1.9
5021	10372	Desert tree legume wood charcoal	Pithouse	18.3
5021	10373	<i>Pinus</i> sp. wood charcoal	Pithouse	39.8
5021	10392	<i>Pinus</i> sp. wood charcoal	Pithouse	20.0
5021	10396	<i>Juniperus</i> sp. wood charcoal	Pithouse	25.0
5021	10398	<i>Juniperus</i> sp. wood charcoal	RV 4	25.0
5021.02	10412	<i>Juniperus</i> sp. wood charcoal	Posthole	17.3
5021.04	10415	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	7.9
5021.07	10420	Desert tree legume wood charcoal	Post in floor groove	0.1
5021.08	8917	<i>Acacia-Prosopis</i> sp. wood charcoal	Post in floor groove	26.9
5021.08	10421	<i>Acacia-Prosopis</i> sp. wood charcoal	Post F	4.9
5030	10468	<i>Descurainia</i> sp. > 1,000 seeds fused clump	Pithouse	19.8
5087	10714	cf. <i>Cercidium</i> sp. wood charcoal	Horno	25.2
5093.03	12311	<i>Juniperus</i> sp. wood charcoal	Posthole	2.6
5123.03	10626	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	63.6
5123.04	10627	Desert tree legume wood charcoal	Posthole	52.7
5150	10796	<i>Pinus</i> sp. wood charcoal	Log B	170.0
5150	10798	<i>Acacia-Prosopis</i> sp. wood charcoal	Log C	32.1
5150	10799	<i>Pinus</i> sp. wood charcoal	Log D	178.5
5150	10800	<i>Pinus</i> sp. wood charcoal	Log H	11.7
5150	10801	<i>Pinus</i> sp. wood charcoal	Log I	11.9
5150	10802	<i>Pinus</i> sp. wood charcoal	Log J	0.1
5150	10803	<i>Pinus</i> sp. wood charcoal	Log K	23.2
5150	10817	<i>Pinus</i> sp. wood charcoal	Log E	8.5
5150	10818	<i>Pinus</i> sp. wood charcoal	Log F	7.3
5150	10828	<i>Pinus</i> sp. wood charcoal	Log G	5.5
5150	10829	<i>Acacia-Prosopis</i> sp. wood charcoal	Log L	128.2
5150.02	10929	<i>Pinus</i> sp. wood charcoal	Posthole	> 500
5150.03	10931	<i>Pinus</i> sp. wood charcoal	Posthole	96.2
5150.04	10933	<i>Acacia-Prosopis</i> sp. wood charcoal	Post C	31.3
5150.05	10934	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	30.2
5150.09	12367	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	184.0
5170	10718	<i>Pinus</i> sp. wood charcoal	Pithouse	46.5
5170	10719	<i>Pinus</i> sp. wood charcoal	Pithouse	56.6
5170	10884	<i>Pinus</i> sp. wood charcoal	Dendro # 3	102.3
5170	10885	Desert tree legume wood charcoal	Dendro # 4	9.8
5170.03	11428	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	31.7
5170.04	11430	<i>Juniperus</i> sp. wood charcoal	Posthole	20.9
5170.05	11431	<i>Juniperus</i> sp. wood charcoal	Post in entry groove	75.0
5170.06	11433	<i>Juniperus</i> sp. wood charcoal	Posthole	5.4
5189	11669	Desert tree legume wood charcoal	Pithouse	15.5
5189.02	11709	Desert tree legume wood charcoal	Posthole	26.4
5192	11128	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	0.4

**Table 4.** Continued.

Feature	FN	Description	Context	Weight (gm)
5192	11232	<i>Ferocactus wislizenii</i> spine	Pithouse	0.2
5215.05	11226	Desert tree legume wood charcoal	Posthole	0.1
5284	11713	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	44.4
5296	11809	Unidentified charred seed fragment	Pithouse	Trace
5296	11810	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	61.8
5296	12054	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	23.6
5296	12055	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	> 500
5296	12056	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	> 500
5358	11102	cf. <i>Cercidium</i> sp. wood	Pithouse	0.2
5358.02	11745	Desert tree legume wood charcoal	Posthole	1.2
5358.03	11749	<i>Juniperus</i> sp. wood charcoal	Posthole	0.3
5358.06	11752	Desert tree legume wood charcoal	Posthole	0.8
5358	11763	<i>Acacia-Prosopis</i> sp. wood charcoal	Pithouse	0.4
5398	11353	<i>Acacia-Prosopis</i> sp. wood charcoal	Small pit	19.4
5417.03	12029	Unidentified diffuse-porous wood charcoal	Posthole	0.1
5417.04	12028	<i>Juniperus</i> sp. wood charcoal	Posthole	Trace
5417.05	12131	<i>Juniperus</i> sp. wood charcoal	Posthole	30.5
5417.05	12132	<i>Juniperus</i> sp. wood charcoal	Posthole	24.3
5448.02	12352	<i>Acacia-Prosopis</i> sp. wood charcoal	Posthole	1.6
5495	12228	<i>Juniperus</i> sp. wood charcoal	Pithouse	5.6

Note: Contexts with letter or numbers are described on the sample bag.

<sup>a</sup>RV = Reconstructible vessel.

<sup>b</sup>Trace quantity.